

Patent 7,120,807

PATENT

IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,120,807

Docket No: O2MICRO 99.10 CON

Issue Date: October 10, 2006

Patentee: James Lam et al.

Title APPARATUS FOR RESETTING POWER MANAGEMENT ENABLE
REGISTER AND RESETTING POWER MANAGEMENT REGISTER BASED
ON AN OPERATING SYSTEM INSTRUCTION AND OUTPUT OF POWER
MANAGEMENT ENABLE REGISTER

REQUEST FOR CERTIFICATION OF CORRECTION

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

As the error is that of the Patent Office, it is believed that no fee is due.

Respectfully submitted,

Customer Number: 32047

Tel. 603-668-6560

By /Edmund P. Pfleger/

Edmund P. Pfleger
Reg. No.: 41,252

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,120,807

DATED : October 10, 2006

INVENTOR(S) : Lam et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the face page, in field (73), in "Assignee", in column 1, line 2, delete "Grand Cayman" and insert - - Grand Pavillion Commercial Centre, West Bay Road, PO Box 32331 SMB, Georgetown Grand Cayman, Cayman Island, BWI - -, therefor.

On the face page, in "Assistant Examiner", in column 2, line 1, after "Malcolm" insert - - D. - -.

In column 10, line 24, in Claim 27, delete "circuit" and insert - - circuitry - -, therefor.

MAILING ADDRESS OF SENDER:

PATENT NO. 7,120,807

No. of additional copies

➡